IOWA PRENATAL CARE BARRIERS PROJECT DATA FROM 2018 SURVEYS

2018 Respondents from All Hospitals in Iowa: 20,035 2018 Respondents with Babies Born in **Clay County: 160**

Demographic Indicators	State	County
Mother's Age		
Less than 18 years	01%	01%
18-19 years	03%	04%
20-25 years	24%	33%
26-30 years	37%	28%
31-35 years	26%	28%
More than 35 years	09%	06%
Mother's Ethnicity		
Hispanic	08%	08%
Non-Hispanic	92%	92%
White	90%	99%
Black	06%	01%
Asian or Pacific Islander	03%	01%
American Indian or Native Alaskan	01%	<01%
Socioeconomic Indicators	State	County
Mother's Education		
Less than high school	07%	06%
High school	21%	24%
Some college	33%	38%
College graduate (Bachelor's degree)	27%	22%
Graduate school	12%	11%
Household Income		
Less than \$10,000	11%	11%
\$10,000 - \$19,999	08%	10%
\$20,000 - \$29,999	09%	10%
\$30,000 - \$39,999	08%	10%
\$40,000 - \$49,999	08%	09%
\$50,000 or more	56%	50%
Information Received in 12 Months Prior to Becoming Pregnant	State	County
Doctor, Nurse, or Other Health Care Provider Talked About:		
Taking folic acid or a multivitamin	46%	49%
Smoking	35%	35%
Drinking alcohol	32%	29%
Your weight	29%	34%
Regular exercise	33%	37%
How romantic relationships affect your health	14%	18%
Oral health	21%	21%
Did not see a doctor, nurse, or other health care professional for a check-up in the 12 months prior to becoming pregnant	33%	37%

Unintended Pregnancy and Did NOT Use Birth Control Plan to return to work outside of home following birth of this baby Yes 74% 70% No 26% 30% Does worksite have designated room/location (not counting bathroom stalls) for mothers to breastfeed or pump/express their breast milk Yes 55% 48% No 28% 37% Don't Know 17% 15% Does worksite have written policy about breastfeeding? Yes 22% 17% No 28% 28% 26% Don't Know 50% 57% Smoked within the past 2 years Yes 21% 29% No 79% 71% Cigarettes Smoked Per Day During Last 3 Months of Pregnancy Zero cigarettes per day 16% 07% 1-10 per day 11-20 per day 10% 07% More than 20 per day 06% 07% No 29% 22% Alcoholic Drinks During Last 3 Months of Pregnancy Zero drinks per week 98% 92% 1-2 drinks per week 98% 92% 22% Alcoholic Drinks During Last 3 Months of Pregnancy Zero drinks per week 98% 92% 22% Alcoholic Drinks During Last 3 Months of Pregnancy Zero drinks per week 01% 01% 01% 3-5 drinks per week 01% 01% 01% No 29% 29% 29% Prenatal Care 5tate County Mother received prenatal care as early in the pregnancy as wanted Yes 95% 94% No 05% 06% Where mother went for most of prenatal care Private doctor's office, clinic or OBGYN 78% 62% Midwire's office or home office from a midwife 07% 01% Midwire's office or home office from a midwife 07% 01% Midwire's office or home office from a midwife 07% 01%	Behavioral Indicators During Pregnancy	State	County
Plan to return to work outside of home following birth of this baby Yes 74% 70% 70% 30%	No Birth Control was Used at Time of Conception	87%	94%
Yes 74% 70% No 26% 30% Does worksite have designated room/location (not counting bathroom stalls) for mothers to breastfeed or pump/express their breast milk 55% 48% Yes 55% 48% 37% Don't Know 17% 15% Does worksite have written policy about breastfeeding? 22% 17% Yes 22% 17% No 28% 26% Don't Know 50% 57% Smoked within the past 2 years 21% 29% Yes 21% 29% No 79% 71% Cigarettes Smoked Per Day During Last 3 Months of Pregnancy 2 Zero cigarettes per day 11% 41% 1-10 per day 41% 41% 1-12 oper day 6% 07% Very 20° 02% Yes 20° 20% Yes 20° 20% Yes 20° 20% Yes 20% 20%	Unintended Pregnancy and Did NOT Use Birth Control	70%	82%
No 26% 30% Does worksite have designated room/location (not counting bathroom stalls) for mothers to breastfeed or pump/express their breast milk 55% 48% Yes 55% 48% 37% No 28% 37% 15% Does worksite have written policy about breastfeeding? 22% 17% Yes 22% 17% No 28% 26% Don't Know 50% 579 Smoked within the past 2 years 21% 29% Yes 21% 29% 71% No 79% 71% 71% Cigarettes Smoked Per Day During Last 3 Months of Pregnancy 2 2 Zero cigarettes per day 14% 41% 11 1-10 per day 16% 07% 78% More than 20 per day 01% 02% 22% Consumed alcohol in the past 2 years 2 2 2 Yes 70% 78% 2 No 29% 22% 22% Alco	Plan to return to work outside of home following birth of this baby		
Does worksite have designated room/location (not counting bathroom stalls) For mothers to breastfeed or pump/express their breast milk Section 17% S	Yes	74%	70%
for mothers to breastfeed or pump/express their breast milk 48% Yes 55% 48% No 28% 37% Don't Know 17% 15% Does worksite have written policy about breastfeeding? Yes 22% 17% No 28% 26% Don't Know 50% 57% Smoked within the past 2 years Yes 21% 29% No 79% 71% Cigarettes Smoked Per Day During Last 3 Months of Pregnancy Zero cigarettes per day 53% 50% 1-10 per day 41% 41% 11-20 per day 41% 41% 11-20 per day 06% 07% Wore than 20 per day 06% 07% Consumed alcohol in the past 2 years Yes 70% 78% No 29% 22% Alcoholic Drinks During Last 3 Months of Pregnancy 2 Zero drinks per week 98 92% 1-2 drinks per week </td <td>No</td> <td>26%</td> <td>30%</td>	No	26%	30%
No 28% 37% Don't Know 17% 15% Does worksite have written policy about breastfeeding? 22% 17% Yes 22% 17% No 28% 26% Don't Know 50% 57% Smoked within the past 2 years 21% 29% Yes 21% 29% 79% 71% Cigarettes Smoked Per Day During Last 3 Months of Pregnancy 2 2 2 2 2 2 2 3 50% 71% 12 29% 2 2 2 2 2 2 3 50% 7 12 2	Does worksite have designated room/location (not counting bathroom stalls) for mothers to breastfeed or pump/express their breast milk		
Don't Know 17% 15% Does worksite have written policy about breastfeeding? 22% 17% Yes 22% 17% No 28% 26% Don't Know 50% 57% Smoked within the past 2 years Yes 21% 29% No 79% 71% Cigarettes Smoked Per Day During Last 3 Months of Pregnancy Zero cigarettes per day 53% 50% 1-10 per day 41% 41% 11-20 per day 06% 07% More than 20 per day 06% 07% More than 20 per day 01% 02% Consumed alcohol in the past 2 years Yes 70% 78% No 29% 22% Alcoholic Drinks During Last 3 Months of Pregnancy 2 Zero drinks per week 98% 92% 1-2 drinks per week 90% 92% 3-5 drinks per week 01% 01% 6-10 drinks per week 01% 01%	Yes	55%	48%
Does worksite have written policy about breastfeeding? Yes 22% 17% No 28% 26% Don't Know 50% 57% Smoked within the past 2 years Yes 21% 29% No 79% 71% Cigarettes Smoked Per Day During Last 3 Months of Pregnancy Zero cigarettes per day 53% 50% 1-10 per day 41% 41% 11-20 per day 06% 07% More than 20 per day 01% 02% Consumed alcohol in the past 2 years Yes 70% 78% No 29% 22% Alcoholic Drinks During Last 3 Months of Pregnancy Zero drinks per week 98% 92% 2-2 drinks per week 98% 92% 2-2 drinks per week 01% <01%	No	28%	37%
Yes 22% 17% No 28% 26% Don't Know 50% 57% Smoked within the past 2 years Yes 21% 29% No 79% 71% Cigarettes Smoked Per Day During Last 3 Months of Pregnancy Zero cigarettes per day 53% 50% 1-10 per day 41% 41% 1-10 per day 06% 07% More than 20 per day 01% 02% Consumed alcohol in the past 2 years Yes 70% 78% No 29% 22% Alcoholic Drinks During Last 3 Months of Pregnancy Zero drinks per week 98% 92% 1-2 drinks per week 98% 92% 1-2 drinks per week 01% <01%	Don't Know	17%	15%
No 28% 26% Don't Know 50% 57% Smoked within the past 2 years 21% 29% Yes 21% 29% No 79% 71% Cigarettes Smoked Per Day During Last 3 Months of Pregnancy Zero cigarettes per day 53% 50% 1-10 per day 41% 41% 11-20 per day 06% 07% More than 20 per day 06% 07% More than 20 per day 01% 02% Yes 70% 78% No 29% 22% Alcoholic Drinks During Last 3 Months of Pregnancy Zero drinks per week 98% 92% 1-2 drinks per week 98% 92% 2-5 drinks per week 90% 01% 6-10 drinks per week 01% 01% 6-10 drinks per week 01% 01% 6-10 drinks per week 01% 01% 8-5 drinks per week 01% 01% 8-6 10 drinks per week <t< td=""><td>Does worksite have written policy about breastfeeding?</td><td></td><td></td></t<>	Does worksite have written policy about breastfeeding?		
Don't Know 50% 57% Smoked within the past 2 years 21% 29% Yes 21% 29% 71% Cigarettes Smoked Per Day During Last 3 Months of Pregnancy 2 2 Zero cigarettes per day 53% 50% 10% 20% 10%	Yes	22%	17%
Smoked within the past 2 years Yes 21% 29% No 79% 71% Cigarettes Smoked Per Day During Last 3 Months of Pregnancy 2 Zero cigarettes per day 53% 50% 1-10 per day 41% 41% 11-20 per day 06% 07% More than 20 per day 01% 02% Consumed alcohol in the past 2 years 70% 78% Yes 70% 78% No 29% 22% Alcoholic Drinks During Last 3 Months of Pregnancy 2 Zero drinks per week 98% 92% 1-2 drinks per week 98% 92% 3-5 drinks per week 00% 02% 6-10 drinks per week <01%	No		26%
Yes 21% 29% No 79% 71% Cigarettes Smoked Per Day During Last 3 Months of Pregnancy Zero cigarettes per day 53% 50% 1-10 per day 41% 41% 11-20 per day 06% 07% More than 20 per day 01% 02% Consumed alcohol in the past 2 years Yes 70% 78% No 29% 22% Alcoholic Drinks During Last 3 Months of Pregnancy Zero drinks per week 98% 92% 1-2 drinks per week 98% 92% 2-2 drinks per week 02% 02% 3-5 drinks per week 01% <01%	Don't Know	50%	57%
No 79% 71% Cigarettes Smoked Per Day During Last 3 Months of Pregnancy Zero cigarettes per day 53% 50% 41% 41% 41.1-10 per day 66% 07% 66% 07% 67% 67% 67% 67% 67% 67% 67% 67% 67% 6	Smoked within the past 2 years		
Cigarettes Smoked Per Day During Last 3 Months of Pregnancy Zero cigarettes per day 53% 50% 1-10 per day 41% 41% 41% 11-20 per day 66% 07% More than 20 per day 01% 02% Consumed alcohol in the past 2 years Yes 70% 78% No 29% 22% Alcoholic Drinks During Last 3 Months of Pregnancy Zero drinks per week 98% 92% 1-2 drinks per week 98% 92% 1-2 drinks per week 02% 02% 3-5 drinks per week 01% 011% 6-10 drinks per week 01% 01% 01% More than 10 drinks per week 01% 01% 01% More than 10 drinks per week 01% 01% 01% More than 10 drinks per week 01% 01% 01% More than 10 drinks per week 01% 01% 01% More than 10 drinks per week 01% 01% 01% 01% 01% 01% 01% 01% 01% 01%	Yes		29%
Zero cigarettes per day 53% 50% 1-10 per day 41% 41% 11-20 per day 06% 07% More than 20 per day 01% 02% Consumed alcohol in the past 2 years Yes 70% 78% No 29% 22% Alcoholic Drinks During Last 3 Months of Pregnancy Zero drinks per week 98% 92% 1-2 drinks per week 98% 92% 3-5 drinks per week 90% 20% 6-10 drinks per week <01%	No	79%	71%
1-10 per day 41% 41% 11-20 per day 66% 07% More than 20 per day 01% 02% 02% 02% 02% 02% 02% 02% 02% 02% 02	Cigarettes Smoked Per Day During Last 3 Months of Pregnancy		
11-20 per day 06% 07% More than 20 per day 01% 02% Consumed alcohol in the past 2 years Yes 70% 78% No 29% 22% Alcoholic Drinks During Last 3 Months of Pregnancy Zero drinks per week 98% 92% 1-2 drinks per week 98% 92% 3-5 drinks per week 01% <01%	Zero cigarettes per day		50%
Consumed alcohol in the past 2 years Yes 70% 78% No 29% 22% Alcoholic Drinks During Last 3 Months of Pregnancy Zero drinks per week 98% 92% 1-2 drinks per week 02% 02% 3-5 drinks per week 01% 01% 01% 6-10 drinks per week 01% 01% 01% 6-10 drinks per week 01% 01% 01% 6-10 drinks per week 01% 01% 01% More than 10 drinks per week 01% 01% 01% 01% 01% 01% 01% 01% 01% 01%	·		41%
Consumed alcohol in the past 2 years Yes 70% 78% No 29% 22% Alcoholic Drinks During Last 3 Months of Pregnancy Zero drinks per week 98% 92% 1 -2 drinks per week 02% 02% 3-5 drinks per week 401% 401% 401% 4010 4010 4010 4010 4010	·		07%
Yes 70% 78% No 29% 22% Alcoholic Drinks During Last 3 Months of Pregnancy 29% 22% Zero drinks per week 98% 92% 1 -2 drinks per week 02% 02% 3-5 drinks per week <01%	More than 20 per day	01%	02%
No 29% 22% Alcoholic Drinks During Last 3 Months of Pregnancy Zero drinks per week 98% 92% 1 -2 drinks per week 02% 02% 3-5 drinks per week 01% 01% 01% 6-10 drinks per week 01% 01% 01% 6-10 drinks per week 01% 01% 01% More than 10 drinks per week 01% 01% 01% Prenatal Care State County Mother received prenatal care as early in the pregnancy as wanted Yes 95% 94% No 05% 06% Where mother went for most of prenatal care Private doctor's office, clinic or OBGYN 78% 62% Midwife's office or home office from a midwife 07% 01% Public clinic 15% 38%	Consumed alcohol in the past 2 years		
Alcoholic Drinks During Last 3 Months of Pregnancy Zero drinks per week 1-2 drinks per week 3-5 drinks per week 3-5 drinks per week 6-10 drinks per week 6-10 drinks per week More than 10 drinks per week Prenatal Care State County Mother received prenatal care as early in the pregnancy as wanted Yes No 55% 94% No 78% 95% 94% No 78% 62% Midwife's office or home office from a midwife Public clinic	Yes		78%
Zero drinks per week 98% 92% 1-2 drinks per week 02% 02% 3-5 drinks per week 401% 401% 401% 4010% 4010% 401% 401% 40	No	29%	22%
1 - 2 drinks per week 3 - 5 drinks per week 6 - 10 drinks per week 7 drinks per week 8 drink	Alcoholic Drinks During Last 3 Months of Pregnancy		
3-5 drinks per week			92%
6-10 drinks per week More than 10 drinks per week Prenatal Care State County Mother received prenatal care as early in the pregnancy as wanted Yes No 95% 94% No 05% 06% Where mother went for most of prenatal care Private doctor's office, clinic or OBGYN Midwife's office or home office from a midwife Public clinic 15% 38%	·		
More than 10 drinks per week <01% Prenatal Care Mother received prenatal care as early in the pregnancy as wanted Yes No 95% 94% No 05% 06% Where mother went for most of prenatal care Private doctor's office, clinic or OBGYN Midwife's office or home office from a midwife Public clinic 78% 62% 62% 62% 78% 62% 78% 62% 78% 62% 78% 78% 62% 78% 78% 62% 78% <p< td=""><td>·</td><td></td><td></td></p<>	·		
Prenatal Care Mother received prenatal care as early in the pregnancy as wanted Yes No 95% 94% No 05% 06% Where mother went for most of prenatal care Private doctor's office, clinic or OBGYN Midwife's office or home office from a midwife Public clinic 15% 38%	·		
Mother received prenatal care as early in the pregnancy as wanted Yes 95% 94% No 05% 06% Where mother went for most of prenatal care Private doctor's office, clinic or OBGYN 78% 62% Midwife's office or home office from a midwife 07% <01% Public clinic 38%	More than 10 drinks per week	<01%	<01%
Yes 95% 94% No 05% 06% Where mother went for most of prenatal care Private doctor's office, clinic or OBGYN 78% 62% Midwife's office or home office from a midwife 07% <01% Public clinic 15% 38%	Prenatal Care	State	County
Where mother went for most of prenatal care Private doctor's office, clinic or OBGYN 78% 62% Midwife's office or home office from a midwife 07% <01% Public clinic 15% 38%	Mother received prenatal care as early in the pregnancy as wanted	,	
Where mother went for most of prenatal care Private doctor's office, clinic or OBGYN 78% 62% Midwife's office or home office from a midwife 07% <01% Public clinic 15% 38%			
Private doctor's office, clinic or OBGYN 78% 62% Midwife's office or home office from a midwife 07% <01% 15% 38%	NO	05%	06%
Midwife's office or home office from a midwife 07% <01% Public clinic 15% 38%	Where mother went for most of prenatal care		
Public clinic 15% 38%	·		62%
			<01%
Other 01% <01%			38%
	Other	01%	<01%

	State	County
HIV/AIDS Testing During Pregnancy		
Yes	45%	47%
No	28%	24%
No, Testing was offered, but did not want to be tested	02%	01%
Don't know	26%	28%
Received Flu Shot During Pregnancy		
Yes	65%	68%
No, Received flu shot before became pregnant	06%	06%
No, Did not want flu shot during pregnancy	12%	09%
No, Doctor said to wait until after pregnancy	01%	01%
No, Do not ever get flu shots	13%	16%
No, Flu shot was not available	02%	01%
Hospital Services	State	County
Hospital Services Hospital Staff Encouraged Breastfeeding During First 24 Hours After	State	County
·	State	County
Hospital Staff Encouraged Breastfeeding During First 24 Hours After	State 85%	County 89%
Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby		
Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes	85%	89%
Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes No	85% 13%	89% 09%
Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes No Don't remember	85% 13%	89% 09%
Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes No Don't remember During Pregnancy or Time at the Hospital, a Doctor, Nurse, or Other	85% 13%	89% 09%
Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes No Don't remember During Pregnancy or Time at the Hospital, a Doctor, Nurse, or Other Healthcare Professional Provided Information or Scheduled a Time to Discuss:	85% 13% 02%	89% 09% 02%
Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes No Don't remember During Pregnancy or Time at the Hospital, a Doctor, Nurse, or Other Healthcare Professional Provided Information or Scheduled a Time to Discuss: Breastfeeding or breastfeeding techniques	85% 13% 02%	89% 09% 02%
Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes No Don't remember During Pregnancy or Time at the Hospital, a Doctor, Nurse, or Other Healthcare Professional Provided Information or Scheduled a Time to Discuss: Breastfeeding or breastfeeding techniques Action steps to decrease frustration when infant cries	85% 13% 02% 83% 43%	89% 09% 02% 92% 63%