## IOWA PRENATAL CARE BARRIERS PROJECT DATA FROM 2014 SURVEYS

2014 Respondents from All Hospitals in Iowa: 24,696 2014 Respondents with Babies Born in **Dallas: 1,036** 

State

County

**Demographic Indicators** 

Mother's Age		
Less than 18 years	01%	00%
18-19 years	04%	02%
20-25 years	28%	15%
26-30 years	35%	36%
31-35 years	25%	36%
More than 35 years	07%	11%
Mother's Ethnicity		
Hispanic	07%	05%
Non-Hispanic	93%	95%
White	91%	90%
Black	05%	02%
Asian or Pacific Islander	03%	08%
American Indian or Native Alaskan	01%	00%
Socioeconomic Indicators	State	County
Socioeconomic Indicators  Mother's Education	State	County
	<b>State</b> 08%	County 03%
Mother's Education		
Mother's Education Less than high school	08%	03%
Mother's Education Less than high school High school	08% 19%	03% 10%
Mother's Education Less than high school High school Some college	08% 19% 36%	03% 10% 23%
Mother's Education Less than high school High school Some college College graduate (Bachelor's degree)	08% 19% 36% 27%	03% 10% 23% 44%
Mother's Education Less than high school High school Some college College graduate (Bachelor's degree) Graduate school	08% 19% 36% 27%	03% 10% 23% 44%
Mother's Education Less than high school High school Some college College graduate (Bachelor's degree) Graduate school  Household Income	08% 19% 36% 27% 10%	03% 10% 23% 44% 21%
Mother's Education Less than high school High school Some college College graduate (Bachelor's degree) Graduate school  Household Income Less than \$10,000	08% 19% 36% 27% 10%	03% 10% 23% 44% 21%
Mother's Education Less than high school High school Some college College graduate (Bachelor's degree) Graduate school  Household Income Less than \$10,000 \$10,000 - \$19,999	08% 19% 36% 27% 10%	03% 10% 23% 44% 21%
Mother's Education Less than high school High school Some college College graduate (Bachelor's degree) Graduate school  Household Income Less than \$10,000 \$10,000 - \$19,999 \$20,000 - \$29,999	08% 19% 36% 27% 10% 14% 10%	03% 10% 23% 44% 21% 06% 04% 06%

Information Received in 12 Months Prior to Becoming Pregnant	State	County
Doctor, Nurse, or Other Health Care Provider Talked About:		
Taking folic acid or a multivitamin	47%	57%
Smoking	37%	35%
Drinking alcohol	32%	33%
Your weight	30%	31%
Regular exercise	33%	37%
How romantic relationships affect your health	13%	14%
Did not see a doctor, nurse, or other health care professional for a check-up	34%	26%
in the 12 months prior to becoming pregnant		
	_	_
Behavioral Indicators During Pregnancy	State	County
No Birth Control was Used at Time of Conception	86%	89%
Unintended Pregnancy and Did NOT Use Birth Control	68%	68%
Offintended Fregnancy and Did NOT Ose Birth Control	0070	0676
Plan to return to work outside of home following birth of this baby		
Yes	72%	71%
No	28%	29%
Does worksite have designated room/location (not counting bathroom		
stalls) for mothers to breastfeed or pump/express their breast milk		
Yes	48%	61%
No Do 74 K o	32%	26%
Don't Know	19%	14%
Does worksite have written policy about breastfeeding?		
Yes	18%	28%
No	30%	24%
Don't Know	52%	48%
Cigarettes Smoked During Last 3 Months of Pregnancy		
Not smoked in past 2 years	77%	88%
Zero cigarettes per day	03%	09%
1-10 per day	13%	03%
11-20 per day	06%	00%
More than 20 per day	01%	00%
Alcoholic Drinks During Lost 2 Months of Programs:		
Alcoholic Drinks During Last 3 Months of Pregnancy	23%	28%
Not had any alcoholic drinks in past 2 years Zero drinks per week	23% 26%	28% 70%
1 drink per week	26% 32%	70% 01%
2 or more drinks per week	41%	01%
2 of more drinks per week	71/0	01/0

Prenatal Care	State	County
Mother received prenatal care as early in the pregnancy as wanted		
Yes	93%	95%
No	07%	05%
Where mother went for most of prenatal care		
Private doctor's office or clinic	81%	89%
Midwife's office or home office from a midwife	05%	06%
Public clinic	13%	04%
Other	01%	00%
HIV/AIDS Testing During Pregnancy		
Yes	50%	46%
No	25%	29%
No, Testing was offered, but did not want to be tested	04%	02%
Don't know	22%	22%
Received Flu Shot During Pregnancy		
Yes	62%	68%
No, Received flu shot before became pregnant	07%	07%
No, Did not want flu shot during pregnancy	13%	10%
No, Doctor said to wait until after pregnancy	01%	01%
No, Do not ever get flu shots	14%	11%
No, Flu shot was not available	02%	03%
Hospital Services	State	County
Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby		
Yes	83%	89%
No	15%	09%
Don't remember	03%	02%
During Pregnancy or Time at the Hospital, a Doctor, Nurse, or Other		
Healthcare Professional Provided Information or Scheduled a Time to		
Discuss: Breastfeeding or breastfeeding techniques	78%	86%
Action steps to decrease frustration when infant cries	78% 49%	80% 42%
•	49% 56%	42% 52%
How to lay the baby down to sleep  Dangers of shaking an infant	48%	52% 43%
Did not receive any information and have not scheduled a time to discuss	48% 09%	43% 07%
Did not receive any information and have not scheduled a time to discuss	09%	U/70

*Technical Note:* Because percentages were rounded, the sum of values may not equal 100%. *For more information:* Call the University of Northern Iowa Center for Social & Behavioral Research: (319) 273-2105.

Data source: Iowa Barriers to Prenatal Care Project, Iowa Department of Public Health, University of Northern Iowa Center for Behavioral Research: 2014 Data.