IOWA PRENATAL CARE BARRIERS PROJECT DATA FROM 2016 SURVEYS

2016 Respondents from All Hospitals in Iowa: 21,928 2016 Respondents with Babies Born in **Floyd County: 35***

^{*}Because of the small number of cases, data may not be representative of the entire population of new mothers whose babies were in this county.

Demographic Indicators	State	County
Mother's Age		
Less than 18 years	01%	<1%
18-19 years	03%	03%
20-25 years	26%	34%
26-30 years	36%	34%
31-35 years	25%	17%
More than 35 years	08%	11%
Mother's Ethnicity		
Hispanic	07%	<1%
Non-Hispanic	93%	100%
Black	05%	<1%
White	91%	100%
Asian or Pacific Islander	03%	<1%
American Indian or Native Alaskan	01%	<1%
Socioeconomic Indicators	State	County
Socioeconomic Indicators Mother's Education	State	County
	State	County
Mother's Education		<u> </u>
Mother's Education Less than high school	07%	14%
Mother's Education Less than high school High school	07% 20%	14% 17%
Mother's Education Less than high school High school Some college	07% 20% 34%	14% 17% 49%
Mother's Education Less than high school High school Some college College graduate (Bachelor's degree) Graduate school	07% 20% 34% 27%	14% 17% 49% 17%
Mother's Education Less than high school High school Some college College graduate (Bachelor's degree) Graduate school Household Income	07% 20% 34% 27% 11%	14% 17% 49% 17% 03%
Mother's Education Less than high school High school Some college College graduate (Bachelor's degree) Graduate school Household Income Less than \$10,000	07% 20% 34% 27% 11%	14% 17% 49% 17% 03%
Mother's Education Less than high school High school Some college College graduate (Bachelor's degree) Graduate school Household Income Less than \$10,000 \$10,000 - \$19,999	07% 20% 34% 27% 11%	14% 17% 49% 17% 03%
Mother's Education Less than high school High school Some college College graduate (Bachelor's degree) Graduate school Household Income Less than \$10,000 \$10,000 - \$19,999 \$20,000 - \$29,999	07% 20% 34% 27% 11% 12% 09%	14% 17% 49% 17% 03% 06% 09% 13%
Mother's Education Less than high school High school Some college College graduate (Bachelor's degree) Graduate school Household Income Less than \$10,000 \$10,000 - \$19,999 \$20,000 - \$29,999 \$30,000 - \$39,999	07% 20% 34% 27% 11% 12% 09% 09%	14% 17% 49% 17% 03% 06% 09% 13% 06%
Mother's Education Less than high school High school Some college College graduate (Bachelor's degree) Graduate school Household Income Less than \$10,000 \$10,000 - \$19,999 \$20,000 - \$29,999	07% 20% 34% 27% 11% 12% 09%	14% 17% 49% 17% 03% 06% 09% 13%

Doctor, Nurse, or Other Health Care Provider Talked About: Taking folic acid or a multivitamin Smoking Smoking Smoking Simoking Simoking alcohol 131% 268% Your weight 29% 268% How romantic relationships affect your health 138 1119 Did not see a doctor, nurse, or other health care professional for a check-up in the 12 months prior to becoming pregnant Did not see a doctor, nurse, or other health care professional for a check-up in the 12 months prior to becoming pregnant Did not see a doctor, nurse, or other health care professional for a check-up in the 12 months prior to becoming pregnant Did not see a doctor, nurse, or other health care professional for a check-up in the 12 months prior to becoming pregnant Did not see a doctor, nurse, or other health care professional for a check-up in the 12 months prior to becoming pregnant Did not see a doctor, nurse, or other health care professional for a check-up in the 12 months prior to becoming pregnant Did not see a doctor, nurse, or other health care professional for a check-up in the 12 months prior to becoming pregnant Did not see a doctor, nurse, or other health care professional for a check-up in the 12 months prior to becoming pregnant Did not see a doctor, nurse, or other health care professional for a check-up in the 12 months pregnancy	Information Received in 12 Months Prior to Becoming Pregnant	State	County
Smoking 35% 31% Drinking alcohol 31% 26% Your weight 29% 26% Regular exercise 32% 26% How romantic relationships affect your health 13% 11% Did not see a doctor, nurse, or other health care professional for a check-up in the 12 months prior to becoming pregnant 31% 37% Behavioral Indicators During Pregnancy State County No Birth Control was Used at Time of Conception 70% 57% Plan to return to work outside of home following birth of this baby 73% 80% Yes 73% 80% No 27% 20% Does worksite have designated room/location (not counting bathroom stalls) for mothers to breastfeed or pump/express their breast milk 52% 50% No 30% 36% 14% Don't Know 18% 14% Does worksite have written policy about breastfeeding? 21% 32% Yes 21% 32% No 28% 50% 30% No 28 21%	Doctor, Nurse, or Other Health Care Provider Talked About:		
Drinking alcohol Your weight Regular exercise How romantic relationships affect your health Did not see a doctor, nurse, or other health care professional for a check-up in the 12 months prior to becoming pregnant Behavioral Indicators During Pregnancy No Birth Control was Used at Time of Conception Whith to return to work outside of home following birth of this baby Yes No Does worksite have designated room/location (not counting bathroom stalls) for mothers to breastfeed or pump/express their breast milk Yes No Does worksite have designated ropm/express their breast milk Yes No Does worksite have written policy about breastfeeding? Yes No Cigarettes Smoked During Last 3 Months of Pregnancy Not smoked in past 2 years Zero cigarettes per day 1-10 per day More than 20 per day No thad any alcoholic drinks in past 2 years Zero drinks per week 2 drinks per week 3 drinks per week 2 drinks per week 3 drinks per week 3 drinks per week 3 drinks per week 4 dr	Taking folic acid or a multivitamin	46%	31%
Your weight29% Regular exercise26% 32% 26% 13% 26% 26% 14% 15% 26% 15% 16% 26% 26% 16% 2			
Regular exercise 32% 26% How romantic relationships affect your health 13% 11% Did not see a doctor, nurse, or other health care professional for a check-up in the 12 months prior to becoming pregnant 37% in the 12 months prior to becoming pregnant 57% 57% 57% 57% 57% 57% 57% 57% 57% 57%			
How romantic relationships affect your health Did not see a doctor, nurse, or other health care professional for a check-up in the 12 months prior to becoming pregnant Behavioral Indicators During Pregnancy			26%
Did not see a doctor, nurse, or other health care professional for a check-up in the 12 months prior to becoming pregnant Behavioral Indicators During Pregnancy			
Behavioral Indicators During Pregnancy No Birth Control was Used at Time of Conception 87% 74% Unintended Pregnancy and Did NOT Use Birth Control 70% 57% Plan to return to work outside of home following birth of this baby Yes 73% 80% No 27% 20% Does worksite have designated room/location (not counting bathroom stalls) for mothers to breastfeed or pump/express their breast milk Yes 52% 50% No 30% 36% Don't Know 18% 14% Does worksite have written policy about breastfeeding? Yes 21% 32% No 28% 29% Don't Know 51% 39% Cigarettes Smoked During Last 3 Months of Pregnancy Not smoked in past 2 years 77% 79% Zero cigarettes per day 55% 38% 1-10 per day 40% 50% 11-20 per day 40% 50% 11-20 per day 40% 50% Alcoholic Drinks During Last 3 Months of Pregnancy Not thad any alcoholic drinks in past 2 years 28% 17% Zero drinks per week 98% 97% Zero drinks per week 98% 97% Zero drinks per week 41% 41% 41%	·		
No Birth Control was Used at Time of Conception 87% 74% Unintended Pregnancy and Did NOT Use Birth Control 70% 57% Plan to return to work outside of home following birth of this baby Yes 73% 80% No 27% 20% Does worksite have designated room/location (not counting bathroom stalls) for mothers to breastfeed or pump/express their breast milk Yes 52% 50% No 30% 36% Don't Know 18% 14% Does worksite have written policy about breastfeeding? Yes 21% 32% No 28% 29% Don't Know 51% 39% Cigarettes Smoked During Last 3 Months of Pregnancy Not smoked in past 2 years 77% 79% Zero cigarettes per day 55% 38% 1-10 per day 40% 50% 11-20 per day 40% 50% 11-20 per day 90% More than 20 per day 90% More than 20 per day 90% Alcoholic Drinks During Last 3 Months of Pregnancy Not had any alcoholic drinks in past 2 years 28% 17% Zero drinks per week 98% 97% 1 drink per week 98% 97% 1 drink per week 98% 97% 1 drink per week 98% 97% 2 drinks per week 40% 51% 51%	·	31%	37%
Unintended Pregnancy and Did NOT Use Birth Control Plan to return to work outside of home following birth of this baby Yes 73% 80% No 27% 20% Does worksite have designated room/location (not counting bathroom stalls) for mothers to breastfeed or pump/express their breast milk Yes 52% 50% No 30% 36% Don't Know 18% 14% Does worksite have written policy about breastfeeding? Yes 21% 32% No 28% 29% Don't Know 51% 39% Cigarettes Smoked During Last 3 Months of Pregnancy Not smoked in past 2 years 77% 79% Zero cigarettes per day 55% 38% 1-10 per day 40% 50% 11-20 per day 05% <1% More than 20 per day 01% 13% Alcoholic Drinks During Last 3 Months of Pregnancy Not had any alcoholic drinks in past 2 years 28% 17% Zero drinks per week 98% 97% 1 drink per week 01% <1%	Behavioral Indicators During Pregnancy	State	County
Plan to return to work outside of home following birth of this baby Yes 73% 80% No 27% 20% Does worksite have designated room/location (not counting bathroom stalls) for mothers to breastfeed or pump/express their breast milk Yes 52% 50% No 30% 36% Don't Know 18% 14% Does worksite have written policy about breastfeeding? Yes 21% 32% No 28% 29% Don't Know 51% 39% Cigarettes Smoked During Last 3 Months of Pregnancy Not smoked in past 2 years 77% 79% Zero cigarettes per day 55% 38% 1-10 per day 40% 50% 11-20 per day 40% 50% 11-20 per day 05% <1%	No Birth Control was Used at Time of Conception	87%	74%
Yes 73% 80% No 27% 20% Does worksite have designated room/location (not counting bathroom stalls) for mothers to breastfeed or pump/express their breast milk Yes 52% 50% No 30% 36% Don't Know 18% 14% Does worksite have written policy about breastfeeding? Yes 21% 32% No 28% 29% Don't Know 51% 39% Cigarettes Smoked During Last 3 Months of Pregnancy Not smoked in past 2 years 77% 79% Zero cigarettes per day 55% 38% 1-10 per day 40% 50% 11-20 per day 05% <1%	Unintended Pregnancy and Did NOT Use Birth Control	70%	57%
Yes 73% 80% No 27% 20% Does worksite have designated room/location (not counting bathroom stalls) for mothers to breastfeed or pump/express their breast milk Yes 52% 50% No 30% 36% Don't Know 18% 14% Does worksite have written policy about breastfeeding? Yes 21% 32% No 28% 29% Don't Know 51% 39% Cigarettes Smoked During Last 3 Months of Pregnancy Not smoked in past 2 years 77% 79% Zero cigarettes per day 55% 38% 1-10 per day 40% 50% 11-20 per day 05% <1%	Plan to return to work outside of home following birth of this baby		
No 27% 20% Does worksite have designated room/location (not counting bathroom stalls) for mothers to breastfeed or pump/express their breast milk Se 50% Yes 52% 50% No 30% 36% Don't Know 18% 14% Does worksite have written policy about breastfeeding? Yes 21% 32% No 28% 29% Don't Know 28% 29% Don't Know 51% 39% Cigarettes Smoked During Last 3 Months of Pregnancy 77% 79% Not smoked in past 2 years 77% 79% Zero cigarettes per day 55% 38% 1-10 per day 40% 50% 11-20 per day 05% <1% More than 20 per day 05% <1% Alcoholic Drinks During Last 3 Months of Pregnancy X Not had any alcoholic drinks in past 2 years 28% 17% Zero drinks per week 98% 97% 1 drink per week 01% <1%	•	73%	80%
stalls) for mothers to breastfeed or pump/express their breast milk Yes 52% 50% No 30% 36% Don't Know 18% 14% Does worksite have written policy about breastfeeding? Yes 21% 32% No 28% 29% Don't Know 51% 39% Cigarettes Smoked During Last 3 Months of Pregnancy Not smoked in past 2 years 77% 79% Zero cigarettes per day 55% 38% 1-10 per day 40% 50% 11-20 per day 05% <1%		27%	20%
NO 30% 36% Don't Know 18% 14% Does worksite have written policy about breastfeeding? Yes 21% 32% NO 28% 29% Don't Know 51% 39% Cigarettes Smoked During Last 3 Months of Pregnancy Not smoked in past 2 years 77% 79% Zero cigarettes per day 55% 38% 1-10 per day 40% 50% 11-20 per day 05% <1% More than 20 per day 05% <1% Alcoholic Drinks During Last 3 Months of Pregnancy 28% 17% Not had any alcoholic drinks in past 2 years 28% 17% Zero drinks per week 98% 97% 1 drink per week 01% <1% 2 drinks per week <1% <1%	stalls) for mothers to breastfeed or pump/express their breast milk	530 /	F00/
Don't Know 18% 14% Does worksite have written policy about breastfeeding? Yes 21% 32% No 28% 29% Don't Know 51% 39% Cigarettes Smoked During Last 3 Months of Pregnancy Not smoked in past 2 years 77% 79% Zero cigarettes per day 55% 38% 1-10 per day 40% 50% 11-20 per day 05% <1%			
Does worksite have written policy about breastfeeding? Yes 21% 32% No 28% 29% Don't Know 51% 39% Cigarettes Smoked During Last 3 Months of Pregnancy Not smoked in past 2 years 77% 79% Zero cigarettes per day 55% 38% 1-10 per day 40% 50% 11-20 per day 05% <1%			
Yes 21% 32% No 28% 29% Don't Know 51% 39% Cigarettes Smoked During Last 3 Months of Pregnancy Not smoked in past 2 years 77% 79% Zero cigarettes per day 55% 38% 1-10 per day 40% 50% 11-20 per day 05% <1%	DOIT E KITOW	1070	1470
No 28% 29% Don't Know 51% 39% Cigarettes Smoked During Last 3 Months of Pregnancy Not smoked in past 2 years 77% 79% Zero cigarettes per day 55% 38% 1-10 per day 40% 50% 11-20 per day 05% <1%	Does worksite have written policy about breastfeeding?		
Cigarettes Smoked During Last 3 Months of Pregnancy Not smoked in past 2 years 77% 79% Zero cigarettes per day 55% 38% 1-10 per day 40% 50% 11-20 per day 05% <1% More than 20 per day 01% 13% Alcoholic Drinks During Last 3 Months of Pregnancy Not had any alcoholic drinks in past 2 years 28% 17% Zero drinks per week 98% 97% 1 drink per week 01% <1%	Yes		
Cigarettes Smoked During Last 3 Months of Pregnancy Not smoked in past 2 years Zero cigarettes per day 1-10 per day 11-20 per day More than 20 per day Alcoholic Drinks During Last 3 Months of Pregnancy Not had any alcoholic drinks in past 2 years Zero drinks per week 1 drink per week 2 drinks per week < 1% < 186 Cigarettes Smoked During Last 3 Months of Pregnancy 79% 79% 79% 79% 79% 79% 79% 79			
Not smoked in past 2 years 77% 79% Zero cigarettes per day 55% 38% 1-10 per day 40% 50% 11-20 per day 05% <1%	Don't Know	51%	39%
Not smoked in past 2 years 77% 79% Zero cigarettes per day 55% 38% 1-10 per day 40% 50% 11-20 per day 05% <1%	Cigarettes Smoked During Last 3 Months of Pregnancy		
1-10 per day 40% 50% 11-20 per day 05% <1%		77%	79%
11-20 per day 05% <1% More than 20 per day 01% 13% Alcoholic Drinks During Last 3 Months of Pregnancy Not had any alcoholic drinks in past 2 years 28% 17% Zero drinks per week 98% 97% 1 drink per week 01% <1% <1% <1% <1%	·	55%	38%
More than 20 per day Alcoholic Drinks During Last 3 Months of Pregnancy Not had any alcoholic drinks in past 2 years Zero drinks per week 1 drink per week 2 drinks per week 3 drinks per week 4 drinks per week 5 drinks per week 6 drinks per week 7 drinks per week 8 drinks per week	1-10 per day	40%	50%
Alcoholic Drinks During Last 3 Months of Pregnancy Not had any alcoholic drinks in past 2 years Zero drinks per week 1 drink per week 2 drinks per week 3 drinks per week 4 drinks per week 5 drinks per week 6 drinks per week 7 drinks per week	11-20 per day	05%	<1%
Not had any alcoholic drinks in past 2 years Zero drinks per week 1 drink per week 2 drinks per week 1 drinks per week 2 drinks per week 1 drinks per week 1 drinks per week 1 drinks per week	More than 20 per day	01%	13%
Not had any alcoholic drinks in past 2 years Zero drinks per week 1 drink per week 2 drinks per week 1 drinks per week 2 drinks per week 1 drinks per week 1 drinks per week 1 drinks per week	Alcoholic Drinks During Last 3 Months of Pregnancy		
Zero drinks per week 98% 97% 1 drink per week 01% <1%	· · · · · · · · · · · · · · · · · · ·	28%	17%
1 drink per week 01% <1%	, , ,		
2 drinks per week <1% <1%	·		
·	·	<1%	<1%
	·	<1%	03%

Prenatal Care	State	County
Mother received prenatal care as early in the pregnancy as wanted		
Yes	94%	100%
No	06%	<1%
No prenatal care	01%	<1%
Where mother went for most of prenatal care		
Private doctor's office or clinic	78%	76%
Midwife's office or home office from a midwife	07%	03%
Public clinic	15%	21%
Other	<1%	<1%
HIV/AIDS Testing During Pregnancy		
Yes	48%	46%
No	26%	23%
No, Testing was offered, but did not want to be tested	03%	06%
Don't know	24%	26%
Received Flu Shot During Pregnancy		
Yes	64%	41%
No, Received flu shot before became pregnant	07%	09%
No, Did not want flu shot during pregnancy	13%	24%
No, Doctor said to wait until after pregnancy	01%	<1%
No, Do not ever get flu shots	14%	26%
No, Flu shot was not available	02%	<1%
Hospital Services	State	County
Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth		
of the Baby	0.50/	700/
Yes	86%	79%
No	12%	21%
Don't remember	02%	<1%
During Pregnancy or Time at the Hospital, a Doctor, Nurse, or Other		
Healthcare Professional Provided Information or Scheduled a Time to Discuss:		
Breastfeeding or breastfeeding techniques	83%	77%
Action steps to decrease frustration when infant cries	43%	69%
How to lay the baby down to sleep	56%	66%
Dangers of shaking an infant	41%	66%
Did not receive any information and have not scheduled a time to discuss	07%	09%

Technical Note: Because percentages were rounded, the sum of values may not equal 100%.

For more information: Call the University of Northern Iowa Center for Social & Behavioral Research: (319) 273-2105. Data source: Iowa Barriers to Prenatal Care Project, Iowa Department of Public Health, University of Northern Iowa Center for Behavioral Research: 2016 Data.