IOWA PRENATAL CARE BARRIERS PROJECT DATA FROM 2018 SURVEYS

2018 Respondents from All Hospitals in Iowa: 20,035

2018 Respondents with Babies Born in Montgomery County: 45*

*Because of the small number of cases, data may not be representative of the entire population of new mothers whose babies were in this county.

| Demographic Indicators | State | County |
|---|-------|--------|
| Mother's Age | | |
| Less than 18 years | 01% | 04% |
| 18-19 years | 03% | 11% |
| 20-25 years | 24% | 36% |
| 26-30 years | 37% | 24% |
| 31-35 years | 26% | 18% |
| More than 35 years | 09% | 07% |
| Mother's Ethnicity | | |
| Hispanic | 08% | 11% |
| Non-Hispanic | 92% | 89% |
| White | 90% | 100% |
| Black | 06% | <01% |
| Asian or Pacific Islander | 03% | <01% |
| American Indian or Native Alaskan | 01% | <01% |
| Socioeconomic Indicators | State | County |
| Mother's Education | | |
| Less than high school | 07% | 13% |
| High school | 21% | 42% |
| Some college | 33% | 29% |
| College graduate (Bachelor's degree) | 27% | 16% |
| Graduate school | 12% | <01% |
| Household Income | | |
| Less than \$10,000 | 11% | 25% |
| \$10,000 - \$19,999 | 08% | 23% |
| \$20,000 - \$29,999 | 09% | 14% |
| \$30,000 - \$39,999 | 08% | 07% |
| \$40,000 - \$49,999 | 08% | 14% |
| \$50,000 or more | 56% | 18% |
| Information Received in 12 Months Prior to Becoming Pregnant | State | County |
| Doctor, Nurse, or Other Health Care Provider Talked About: | | |
| Taking folic acid or a multivitamin | 46% | 36% |
| Smoking | 35% | 31% |
| Drinking alcohol | 32% | 20% |
| Your weight | 29% | 22% |
| Regular exercise | 33% | 27% |
| How romantic relationships affect your health | 14% | 11% |
| Oral health | 21% | 16% |
| Did not see a doctor, nurse, or other health care professional for a check-up in the 12 months prior to becoming pregnant | 33% | 38% |
| in the 12 months prior to becoming pregnant | | |

| Unintended Pregnancy and Did NOT Use Birth Control Plan to return to work outside of home following birth of this baby Yes 74% 76% No 26% 24% Does worksite have designated room/location (not counting bathroom stalls) for mothers to breastfeed or pump/express their breast milk Yes 55% 33% No 28% 37% Don't Know 17% 30% Does worksite have written policy about breastfeeding? Yes 22% 17% No 28% 14% Don't Know 50% 59% Smoked within the past 2 years Yes 21% 56% No 79% 44% Cigarettes per day 1,00 6,00 6,00 8,00 8,00 8,00 8,00 8,00 8 | Behavioral Indicators During Pregnancy | State | County |
|--|--|-------|--------|
| Plan to return to work outside of home following birth of this baby Yes 74% 76% 26% 24% 24% 26% 24% 24% 26% 24% 26% 24% 26% 24% 26% 24% 26% 24% 26% 24% 26% 24% 26% 24% 26% 24% 26% 24% 26% 24% 26% 26% 37% 26% 37% 26% 37% 26% 37% 26% 37% 26% 37% 26% 37% 26% 37% 26% 37% 26% 37% 26% 37% 26% 37% 26% 37% 26% 37% 26% 37% 26% 37% 26% 26% 37% 26% 26% 37% 26% | No Birth Control was Used at Time of Conception | 87% | 84% |
| Yes 74% 76% No 26% 24% Does worksite have designated room/location (not counting bathroom stalls) for mothers to breastfeed or pump/express their breast milk 55% 33% Yes 55% 33% 37% Don't Know 28% 37% Does worksite have written policy about breastfeeding? 22% 17% Yes 22% 17% No 28% 14% Don't Know 50% 69% Smoked within the past 2 years 21% 56% Yes 21% 56% No 79% 44% Cigarettes Smoked Per Day During Last 3 Months of Pregnancy 22 Zero cigarettes per day 11% 48% 1-10 per day 41% 48% 1-20 per day 66% 08% Ves 70% 55% Yes 70% 55% No 29% 45% Alcoholic Drinks During Last 3 Months of Pregnancy 29% 45% Alcoholic Drinks During | Unintended Pregnancy and Did NOT Use Birth Control | 70% | 73% |
| No 26% 24% Does worksite have designated room/location (not counting bathroom stalls) for mothers to breastfeed or pump/express their breast milk 55% 33% Yes 55% 33% 37% 30% Don't Know 17% 30% 30% 37% 30% Does worksite have written policy about breastfeeding? 22% 17% 17% 17% 17% 17% 17% 17% 17% 17% 17% 17% 17% 30% 17% 17% 30% 17% 30% 17% 30% 17% 30% 17% 30% 17% 30% 17% 30% 17% 30% 17% 14% | Plan to return to work outside of home following birth of this baby | | |
| Does worksite have designated room/location (not counting bathroom stalls) For mothers to breastfeed or pump/express their breast milk S S S S S S S S S | Yes | 74% | 76% |
| for mothers to breastfeed or pump/express their breast milk 55% 33% Yes 28% 33% Don't Know 17% 30% Does worksite have written policy about breastfeeding? Yes 22% 17% No 28% 14% Don't Know 50% 69% Smoked within the past 2 years Yes 21% 56% No 79% 44% No 79% 44% 1-10 per day 41% 48% 1-1-20 per day 41% 48% 11-20 per day 01% <01% | No | 26% | 24% |
| No 28% 37% Don't Know 17% 30% Does worksite have written policy about breastfeeding? 22% 17% Yes 22% 17% No 28% 14% Don't Know 50% 69% Smoked within the past 2 years 21% 56% Yes 21% 56% No 79% 44% Cigarettes Smoked Per Day During Last 3 Months of Pregnancy 2 Zero cigarettes per day 41% 48% 1-10 per day 41% 48% 1-10 per day 61% 60% More than 20 per day 01% <01% | Does worksite have designated room/location (not counting bathroom stalls) for mothers to breastfeed or pump/express their breast milk | | |
| Don't Know 17% 30% Does worksite have written policy about breastfeeding? Yes 22% 17% No 28% 14% Don't Know 50% 69% Smoked within the past 2 years Yes 21% 56% No 79% 44% Cigarettes Smoked Per Day During Last 3 Months of Pregnancy Zero cigarettes per day 53% 44% 1-10 per day 41% 48% 11-20 per day 06% 08% More than 20 per day 01% <01% | Yes | 55% | 33% |
| Does worksite have written policy about breastfeeding? Yes 22% 17% No 28% 14% Don't Know 50% 69% Smoked within the past 2 years Yes 21% 56% No 79% 44% Cigarettes Smoked Per Day During Last 3 Months of Pregnancy 2 Zero cigarettes per day 53% 44% 1-10 per day 41% 48% 11-20 per day 60% 08% More than 20 per day 01% <01% | No | 28% | 37% |
| Yes 22% 17% No 28% 14% Don't Know 50% 69% Smoked within the past 2 years Yes 21% 56% No 79% 44% Cigarettes Smoked Per Day During Last 3 Months of Pregnancy Zero cigarettes per day 53% 44% 1-10 per day 41% 48% 1-20 per day 06% 08% More than 20 per day 01% <01% | Don't Know | 17% | 30% |
| No 28% 14% Don't Know 50% 69% Smoked within the past 2 years 21% 56% Yes 21% 56% No 79% 44% Cigarettes Smoked Per Day During Last 3 Months of Pregnancy 2 Zero cigarettes per day 53% 44% 1-10 per day 41% 48% 11-20 per day 66% 08% More than 20 per day 06% 08% More than 20 per day 01% <01% | Does worksite have written policy about breastfeeding? | | |
| Don't Know 50% 69% Smoked within the past 2 years 21% 56% Yes 21% 56% No 79% 44% Cigarettes Smoked Per Day During Last 3 Months of Pregnancy Zero cigarettes per day 53% 44% 1-10 per day 41% 48% 11-20 per day 06% 08% More than 20 per day 01% <01% | Yes | 22% | 17% |
| Smoked within the past 2 years Yes 21% 56% No 79% 44% Cigarettes Smoked Per Day During Last 3 Months of Pregnancy 2 Zero cigarettes per day 53% 44% 1-10 per day 61% 48% 11-20 per day 01% <01% | No | 28% | 14% |
| Yes 21% 56% No 79% 44% Cigarettes Smoked Per Day During Last 3 Months of Pregnancy Zero cigarettes per day 53% 44% 1-10 per day 41% 48% 11-20 per day 06% 08% More than 20 per day 01% <01% | Don't Know | 50% | 69% |
| No 79% 44% Cigarettes Smoked Per Day During Last 3 Months of Pregnancy Zero cigarettes per day 53% 44% 1-10 per day 41% 48% 11-20 per day 06% 08% More than 20 per day 01% <01% | Smoked within the past 2 years | | |
| Cigarettes Smoked Per Day During Last 3 Months of Pregnancy Zero cigarettes per day 53% 44% 1-10 per day 41% 48% 11-20 per day 66% 08% More than 20 per day 70% 55% No 29% 45% Alcoholic Drinks During Last 3 Months of Pregnancy Zero drinks per week 98% 100% 1-2 drinks per week 98% 100% 3-5 drinks per week 98% 100% 6-10 drinks per week 91% 01% 01% More than 10 drinks per week 91% 01% 01% More than 10 drinks per week 91% 05% Prenatal Care State County Mother received prenatal care as early in the pregnancy as wanted Yes 95% 95% No 76% 05% Where mother went for most of prenatal care Private doctor's office, clinic or OBGYN 78% 85% Midwife's office or home office from a midwife 90% 01% 07% 05% Public clinic 15% 10% | Yes | 21% | 56% |
| Zero cigarettes per day 53% 44% 1-10 per day 41% 48% 11-20 per day 06% 08% More than 20 per day 01% <01% | No | 79% | 44% |
| 1-10 per day 41% 48% 11-20 per day 06% 08% More than 20 per day 01% <01% <01% <01% <01% <01% <01% <01% | Cigarettes Smoked Per Day During Last 3 Months of Pregnancy | | |
| 11-20 per day 06% 08% More than 20 per day 01% <01% | Zero cigarettes per day | 53% | 44% |
| Consumed alcohol in the past 2 years Yes 70% 55% No 29% 45% Alcoholic Drinks During Last 3 Months of Pregnancy Zero drinks per week 98% 100% 1 - 2 drinks per week 02% <01% <01% 3-5 drinks per week <01% <01% <01% 6-10 drinks per week <01% <01% <01% More than 10 drinks per week <01% <01% <01% Prenatal Care State County Mother received prenatal care as early in the pregnancy as wanted Yes 95% 95% No 05% 05% Where mother went for most of prenatal care Private doctor's office, clinic or OBGYN 78% 85% Midwife's office or home office from a midwife 07% 05% Public clinic 15% 10% | 1-10 per day | 41% | 48% |
| Consumed alcohol in the past 2 years Yes 70% 55% No 29% 45% Alcoholic Drinks During Last 3 Months of Pregnancy Zero drinks per week 98% 100% 1 - 2 drinks per week 02% <01% 3-5 drinks per week 01% <01% <01% 6-10 drinks per week <01% <01% <01% More than 10 drinks per week <01% <01% <01% Prenatal Care State County Mother received prenatal care as early in the pregnancy as wanted Yes 95% 95% No 05% 05% Where mother went for most of prenatal care Private doctor's office, clinic or OBGYN 78% 85% Midwife's office or home office from a midwife 07% 05% Public clinic 15% 10% | 11-20 per day | 06% | 08% |
| Yes 70% 55% No 29% 45% Alcoholic Drinks During Last 3 Months of Pregnancy 29% 45% Zero drinks per week 98% 100% 1 -2 drinks per week 02% <01% | More than 20 per day | 01% | <01% |
| No 29% 45% Alcoholic Drinks During Last 3 Months of Pregnancy Zero drinks per week 98% 100% 1 -2 drinks per week 02% <01% 3-5 drinks per week 01% <01% <01% 6-10 drinks per week 01% <01% <01% 6-10 drinks per week 01% <01% <01% More than 10 drinks per week 01% <01% <01% Prenatal Care State County Mother received prenatal care as early in the pregnancy as wanted Yes 95% 95% No 05% 05% Where mother went for most of prenatal care Private doctor's office, clinic or OBGYN 78% 85% Midwife's office or home office from a midwife 07% 05% Public clinic 15% 10% | Consumed alcohol in the past 2 years | | |
| Alcoholic Drinks During Last 3 Months of Pregnancy Zero drinks per week 98% 100% 1 - 2 drinks per week 02% <01% 3 - 5 drinks per week 01% <01% 6 - 10 drinks per week 01% <01% 6 - 10 drinks per week 01% <01% <01% <01% <01% <01% <01% <01% | Yes | | 55% |
| Zero drinks per week 98% 100% 1-2 drinks per week 02% <01% 3-5 drinks per week 01% <01% <01% 6-10 drinks per week 01% <01% <01% <01% <01% <01% <01% <01% | No | 29% | 45% |
| 1 - 2 drinks per week 3-5 drinks per week 6-10 drin | Alcoholic Drinks During Last 3 Months of Pregnancy | | |
| 3-5 drinks per week < 01% < 01% < 01% < 01% < 01% | Zero drinks per week | 98% | 100% |
| 6-10 drinks per week More than 10 drinks per week Prenatal Care State County Mother received prenatal care as early in the pregnancy as wanted Yes No 95% 95% No 05% 05% Where mother went for most of prenatal care Private doctor's office, clinic or OBGYN Midwife's office or home office from a midwife Public clinic 15% 10% | 1 -2 drinks per week | | <01% |
| More than 10 drinks per week Prenatal Care State County Mother received prenatal care as early in the pregnancy as wanted Yes No 95% 95% 05% Where mother went for most of prenatal care Private doctor's office, clinic or OBGYN Midwife's office or home office from a midwife Public clinic 78% 85% Public clinic | • | | <01% |
| Prenatal Care Mother received prenatal care as early in the pregnancy as wanted Yes No 95% 05% 05% Where mother went for most of prenatal care Private doctor's office, clinic or OBGYN Midwife's office or home office from a midwife Public clinic 15% 10% | · | | <01% |
| Mother received prenatal care as early in the pregnancy as wanted Yes 95% 95% No 05% 05% Where mother went for most of prenatal care Private doctor's office, clinic or OBGYN 78% 85% Midwife's office or home office from a midwife 07% 05% Public clinic 15% 10% | More than 10 drinks per week | <01% | <01% |
| Yes 95% 95% No 05% 05% 05% 05% 05% 05% 05% 05% 05% 05% | Prenatal Care | State | County |
| Where mother went for most of prenatal care Private doctor's office, clinic or OBGYN 78% 85% Midwife's office or home office from a midwife 07% 05% Public clinic 15% 10% | Mother received prenatal care as early in the pregnancy as wanted | | |
| Where mother went for most of prenatal care Private doctor's office, clinic or OBGYN 78% 85% Midwife's office or home office from a midwife 07% 05% Public clinic 15% 10% | Yes | | 95% |
| Private doctor's office, clinic or OBGYN78%85%Midwife's office or home office from a midwife07%05%Public clinic15%10% | No | 05% | 05% |
| Midwife's office or home office from a midwife 07% 05% Public clinic 15% 10% | Where mother went for most of prenatal care | | |
| Public clinic 15% 10% | Private doctor's office, clinic or OBGYN | 78% | 85% |
| | Midwife's office or home office from a midwife | 07% | 05% |
| Other 01% <01% | Public clinic | 15% | 10% |
| | Other | 01% | <01% |

| | State | County |
|--|---------------------------------|---------------------------------|
| HIV/AIDS Testing During Pregnancy | | |
| Yes | 45% | 42% |
| No | 28% | 18% |
| No, Testing was offered, but did not want to be tested | 02% | 04% |
| Don't know | 26% | 36% |
| Received Flu Shot During Pregnancy | | |
| Yes | 65% | 87% |
| No, Received flu shot before became pregnant | 06% | 04% |
| No, Did not want flu shot during pregnancy | 12% | 04% |
| No, Doctor said to wait until after pregnancy | 01% | <01% |
| No, Do not ever get flu shots | 13% | 02% |
| No, Flu shot was not available | 02% | 02% |
| | | |
| Hospital Services | State | County |
| Hospital Staff Encouraged Breastfeeding During First 24 Hours After | State | County |
| Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby | | |
| Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes | 85% | 91% |
| Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes No | 85% 13% | 91% 07% |
| Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes | 85% | 91% |
| Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes No | 85% 13% | 91% 07% |
| Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes No Don't remember | 85% 13% | 91% 07% |
| Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes No Don't remember During Pregnancy or Time at the Hospital, a Doctor, Nurse, or Other | 85% 13% | 91% 07% |
| Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes No Don't remember During Pregnancy or Time at the Hospital, a Doctor, Nurse, or Other Healthcare Professional Provided Information or Scheduled a Time to Discuss: | 85% 13% 02% | 91% 07% 02% |
| Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes No Don't remember During Pregnancy or Time at the Hospital, a Doctor, Nurse, or Other Healthcare Professional Provided Information or Scheduled a Time to Discuss: Breastfeeding or breastfeeding techniques | 85% 13% 02% 83% | 91% 07% 02% |
| Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes No Don't remember During Pregnancy or Time at the Hospital, a Doctor, Nurse, or Other Healthcare Professional Provided Information or Scheduled a Time to Discuss: Breastfeeding or breastfeeding techniques Action steps to decrease frustration when infant cries | 85% 13% 02% 83% 43% | 91% 07% 02% 80% 71% |