IOWA PRENATAL CARE BARRIERS PROJECT DATA FROM 2018 SURVEYS

2018 Respondents from All Hospitals in Iowa: 20,035 2018 Respondents with Babies Born in **Muscatine County: 242**

Demographic Indicators	State	County
Mother's Age		
Less than 18 years	01%	01%
18-19 years	03%	07%
20-25 years	24%	26%
26-30 years	37%	34%
31-35 years	26%	23%
More than 35 years	09%	10%
Mother's Ethnicity		
Hispanic	08%	19%
Non-Hispanic	92%	81%
White	90%	90%
Black	06%	06%
Asian or Pacific Islander	03%	02%
American Indian or Native Alaskan	01%	02%
Socioeconomic Indicators	State	County
Mother's Education		
Less than high school	07%	13%
High school	21%	27%
Some college	33%	39%
College graduate (Bachelor's degree)	27%	17%
Graduate school	12%	04%
Household Income		
Less than \$10,000	11%	23%
\$10,000 - \$19,999	08%	10%
\$20,000 - \$29,999	09%	13%
\$30,000 - \$39,999	08%	09%
\$40,000 - \$49,999	08%	07%
\$50,000 or more	56%	38%
Information Received in 12 Months Prior to Becoming Pregnant	State	County
Doctor, Nurse, or Other Health Care Provider Talked About:		
Taking folic acid or a multivitamin	46%	39%
Smoking	35%	31%
Drinking alcohol	32%	24%
Your weight	29%	27%
Regular exercise	33%	29%
How romantic relationships affect your health	14%	11%
Oral health	21%	17%
Did not see a doctor, nurse, or other health care professional for a check-up in the 12 months prior to becoming pregnant	33%	43%

No Birth Control was Used at Time of Conception 87% 83% Unintended Pregnancy and Did NOT Use Birth Control 70% 70% Plan to return to work outside of home following birth of this baby 74% 74% Yes 74% 74% 74% No 26% 26% Does worksite have designated room/location (not counting bathroom stalls) for mothers to breastfeed or pump/express their breast milk 55% 74% Yes 55% 74% 26% 26% Don't Know 28% 26% 2	Behavioral Indicators During Pregnancy	State	County
Plan to return to work outside of home following birth of this baby Yes	No Birth Control was Used at Time of Conception	87%	83%
Yes 74% 74% No 26% 26% Does worksite have designated room/location (not counting bathroom stalls) for mothers to breastfeed or pump/express their breast milk ************************************	Unintended Pregnancy and Did NOT Use Birth Control	70%	70%
No 26% 26% Does worksite have designated room/location (not counting bathroom stalls) for mothers to breastfeed or pump/express their breast milk Yes 55% 74% No 28% 26% Don't Know 17% 23% Does worksite have written policy about breastfeeding? Yes 22% 19% No 28% 25% Don't Know 28% 25% Smoked within the past 2 years Yes 21% 25% No 79% 75% Cigarettes Smoked Per Day During Last 3 Months of Pregnancy Zero cigarettes per day 53 50% 1-10 per day 60% 60% More than 20 per day 01% 401% More than 20 per day 20% 60% Yes 70% 64% No 29% 36% Consumed alcohol in the past 2 years Yes 70% 64% No 29% 97%	Plan to return to work outside of home following birth of this baby		
Does worksite have designated room/location (not counting bathroom stalls) For mothers to breastfeed or pump/express their breast milk Yes	Yes		
row mothers to breastfeed or pump/express their breast milk Yes 55% 76% No 28% 26% Don't Know 17% 23% Does worksite have written policy about breastfeeding? Yes 22% 19% No 28% 25% Don't Know 50% 56% Smoked within the past 2 years Yes 21% 25% No 79% 75% No 79% 75% No 79% 75% No 79% 75% Ves 21% 25% Pore day 41% 48% 1-10 per day 41% 48% 11-20 per day 60% 02% More than 20 per day 60% 02% Yes 70% 64% No 29% 36% Post 20 36% No 29% 36% Post 20 01%<	No	26%	26%
Yes 55% 74% No 28% 26% Don't Know 17% 23% Does worksite have written policy about breastfeeding? 2 19% Yes 22% 19% No 28% 25% Don't Know 50% 56% Smoked within the past 2 years Yes 21% 25% No 79% 75% Cigarettes Smoked Per Day During Last 3 Months of Pregnancy 2 2 Zero cigarettes per day 41% 48% 1-10 per day 41% 48% 1-20 per day 66% 02% More than 20 per day 66% 02% More than 20 per day 66% 02% No 29% 36% Alcoholic Drinks During Last 3 Months of Pregnancy 2			
No 28% 26% Don't Know 17% 23% Does worksite have written policy about breastfeeding? **** **** Yes 22% 19% No 28% 25% Don't Know 28% 25% Smoked within the past 2 years *** *** Yes 21% 25% No 79% 75% Cigarettes Smoked Per Day During Last 3 Months of Pregnancy *** *** Zero cigarettes per day 53% 50% 1-10 per day 41% 48% 11-20 per day 66% 02% More than 20 per day 66% 02% No 29% 36% Pes 70% 64% No 29% 36% Alcoholic Drinks During Last 3 Months of Pregnancy ** Zero drinks per week 98 97% 1-2 drinks per week 90% 90% 1-5 drinks per week 90 01% 6-10 drinks per week		55%	74%
Don't Know 17% 23% Does worksite have written policy about breastfeeding? 2 19% Yes 22% 19% Don't Know 50% 56% Smoked within the past 2 years Yes 21% 25% No 79% 75% Cigarettes Smoked Per Day During Last 3 Months of Pregnancy 2 2 25% Zero cigarettes per day 53% 50% 10% 20% 10% 20% 10% 20% 10% 20% 10% 20% <td></td> <td></td> <td></td>			
Yes 22% 19% No 28% 25% Don't Know 50% 56% Smoked within the past 2 years Yes 21% 25% No 79% 75% Cigarettes Smoked Per Day During Last 3 Months of Pregnancy 3 50% Zero cigarettes per day 53% 50% 1-10 per day 41% 48% 1-12 per day 66% 02% More than 20 per day 01% <01%			
Yes 22% 19% No 28% 25% Don't Know 50% 56% Smoked within the past 2 years Yes 21% 25% No 79% 75% Cigarettes Smoked Per Day During Last 3 Months of Pregnancy Zero cigarettes per day 53% 50% 1-10 per day 41% 48% 1-120 per day 06% 02% More than 20 per day 01% <01%	Does worksite have written policy about breastfeeding?		
Don't Know 50% 56% Smoked within the past 2 years 21% 25% Yes 79% 75% Cigarettes Smoked Per Day During Last 3 Months of Pregnancy 21% 25% Zero cigarettes per day 53% 50% 1-10 per day 41% 48% 11-20 per day 06% 02% More than 20 per day 06% 02% Yes 70% 64% No 29% 36% Alcoholic Drinks During Last 3 Months of Pregnancy 2 Zero drinks per week 98% 97% 1-2 drinks per week 98% 97% 1-2 drinks per week 01% 01% 6-10 drinks per week 01% 01% 8-10 drinks per week 01% 01% 9-10 drinks per week 01% 01%<	·	22%	19%
Smoked within the past 2 years Yes 21% 25% No 79% 75% Cigarettes Smoked Per Day During Last 3 Months of Pregnancy 3 50% Zero cigarettes per day 53% 50% 1-10 per day 41% 48% 11-20 per day 06% 02% More than 20 per day 01% <01%	No	28%	25%
Yes 21% 25% No 79% 75% Cigarettes Smoked Per Day During Last 3 Months of Pregnancy 53% 50% Zero cigarettes per day 53% 50% 1-10 per day 41% 48% 11-20 per day 66% 02% More than 20 per day 01% <01%	Don't Know	50%	56%
No 79% 75% Cigarettes Smoked Per Day During Last 3 Months of Pregnancy 53% 50% 2ero cigarettes per day 41% 48% 1-10 per day 66% 02% More than 20 per day 01% <01%	Smoked within the past 2 years		
Cigarettes Smoked Per Day During Last 3 Months of PregnancyZero cigarettes per day53%50%1-10 per day41%48%11-20 per day06%02%More than 20 per day01%<01%	Yes	21%	25%
Zero cigarettes per day 53% 50% 1-10 per day 41% 48% 11-20 per day 06% 02% More than 20 per day 01% <01%	No	79%	75%
1-10 per day 41% 48% 11-20 per day 06% 02% More than 20 per day 01% <01%	Cigarettes Smoked Per Day During Last 3 Months of Pregnancy		
11-20 per day 06% 02% More than 20 per day 01% <01%			
More than 20 per day 01% <01% Consumed alcohol in the past 2 years 70% 64% Yes 70% 64% No 29% 36% Alcoholic Drinks During Last 3 Months of Pregnancy 36% 97% Zero drinks per week 98% 97% 1 -2 drinks per week 02% 01% 4 -2 drinks per week 401% 401% 6-10 drinks per week 401% 401% 6 -10 drinks per week 401% 401% 401% More than 10 drinks per week 401% 401% 401% Prenatal Care State County Mother received prenatal care as early in the pregnancy as wanted 75% 95% 97% No 55 95% 97% 97% No 55 95% 97% Where mother went for most of prenatal care 77% 77% Midwife's office or home office from a midwife 97% 97% Public clinic 15% 16%	·		
Consumed alcohol in the past 2 years Yes 70% 64% No 29% 36% Alcoholic Drinks During Last 3 Months of Pregnancy Zero drinks per week 98% 97% 1 - 2 drinks per week 02% 01% 3-5 drinks per week 01% 02% 01% 6-10 drinks per week 01% 01% 6-10 drinks per week 01% 01% More than 10 drinks per week 01% 01% Prenatal Care State County Mother received prenatal care as early in the pregnancy as wanted Yes 95% 97% No 05% 03% Where mother went for most of prenatal care Private doctor's office, clinic or OBGYN 78% 77% Midwife's office or home office from a midwife 07% 07% Public clinic 15% 16%	• •		
Yes 70% 64% No 29% 36% Alcoholic Drinks During Last 3 Months of Pregnancy Secondary 36% Zero drinks per week 98% 97% 1 - 2 drinks per week 02% 01% 3-5 drinks per week 01% 01% 6-10 drinks per week 01% 01% More than 10 drinks per week 01% 01% Prenatal Care State County Mother received prenatal care as early in the pregnancy as wanted Yes 95% 97% No 05% 03% Where mother went for most of prenatal care Frivate doctor's office, clinic or OBGYN 78% 77% Midwife's office or home office from a midwife 07% 07% Public clinic 15% 16%	More than 20 per day	01%	<01%
No 29% 36% Alcoholic Drinks During Last 3 Months of Pregnancy Sero drinks per week 98% 97% 1 -2 drinks per week 02% 01% 3-5 drinks per week <01%	• •	=00/	5.404
Alcoholic Drinks During Last 3 Months of Pregnancy Zero drinks per week 98% 97% 1 - 2 drinks per week 02% 01% 3-5 drinks per week <01% 01% 6-10 drinks per week <01% <01% <01% More than 10 drinks per week <01% <01% <01% Prenatal Care State County Mother received prenatal care as early in the pregnancy as wanted Yes 95% 97% No 05% 03% Where mother went for most of prenatal care Private doctor's office, clinic or OBGYN 78% 77% Midwife's office or home office from a midwife 07% 07% Public clinic 15% 16%			
Zero drinks per week 98% 97% 1 -2 drinks per week 02% 01% 3-5 drinks per week <01%	No	29%	36%
1 - 2 drinks per week02%01%3-5 drinks per week<01%	• • • • • • • • • • • • • • • • • • • •	0.007	0=0/
3-5 drinks per week co1% co1% co1% co10 drinks per week co1% drinks per week co1% co1% co1% co1% co1% co1% co1% co1%	·		
6-10 drinks per week <01% <01% <01% <01% <01% <01% <01% <01%	·		
More than 10 drinks per week<01%<01%Prenatal CareStateCountyMother received prenatal care as early in the pregnancy as wanted95%97%Yes95%97%No05%03%Where mother went for most of prenatal care	·		
Mother received prenatal care as early in the pregnancy as wanted Yes 95% 97% No 05% 03% Where mother went for most of prenatal care Private doctor's office, clinic or OBGYN 78% 77% Midwife's office or home office from a midwife 07% 07% Public clinic 15% 16%	·		
Mother received prenatal care as early in the pregnancy as wanted Yes 95% 97% No 05% 03% Where mother went for most of prenatal care Private doctor's office, clinic or OBGYN 78% 77% Midwife's office or home office from a midwife 07% 07% Public clinic 15% 16%	Prenatal Care	State	County
Yes 95% 97% No 05% 03% Where mother went for most of prenatal care Private doctor's office, clinic or OBGYN 78% 77% Midwife's office or home office from a midwife 07% 07% Public clinic 15% 16%			3001109
No O5% O3% Where mother went for most of prenatal care Private doctor's office, clinic or OBGYN 78% 77% Midwife's office or home office from a midwife 07% 07% Public clinic 15% 16%		95%	97%
Private doctor's office, clinic or OBGYN 78% 77% Midwife's office or home office from a midwife 07% 07% Public clinic 15% 16%			
Private doctor's office, clinic or OBGYN 78% 77% Midwife's office or home office from a midwife 07% 07% Public clinic 15% 16%	Where mother went for most of prenatal care		
Midwife's office or home office from a midwife 07% 07% Public clinic 15% 16%		78%	77%
	·		
Other 01% <01%	Public clinic	15%	16%
	Other	01%	<01%

	State	County
HIV/AIDS Testing During Pregnancy		
Yes	45%	45%
No	28%	19%
No, Testing was offered, but did not want to be tested	02%	01%
Don't know	26%	35%
Received Flu Shot During Pregnancy		
Yes	65%	52%
No, Received flu shot before became pregnant	06%	07%
No, Did not want flu shot during pregnancy	12%	21%
No, Doctor said to wait until after pregnancy	01%	02%
No, Do not ever get flu shots	13%	15%
No, Flu shot was not available	02%	03%
Hospital Services	State	County
Hospital Services Hospital Staff Encouraged Breastfeeding During First 24 Hours After	State	County
·	State	County
Hospital Staff Encouraged Breastfeeding During First 24 Hours After	State 85%	County 88%
Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby		
Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes	85%	88%
Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes No	85% 13%	88% 11%
Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes No Don't remember	85% 13%	88% 11%
Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes No Don't remember During Pregnancy or Time at the Hospital, a Doctor, Nurse, or Other	85% 13%	88% 11%
Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes No Don't remember During Pregnancy or Time at the Hospital, a Doctor, Nurse, or Other Healthcare Professional Provided Information or Scheduled a Time to Discuss:	85% 13% 02%	88% 11% 01%
Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes No Don't remember During Pregnancy or Time at the Hospital, a Doctor, Nurse, or Other Healthcare Professional Provided Information or Scheduled a Time to Discuss: Breastfeeding or breastfeeding techniques	85% 13% 02%	88% 11% 01%
Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby Yes No Don't remember During Pregnancy or Time at the Hospital, a Doctor, Nurse, or Other Healthcare Professional Provided Information or Scheduled a Time to Discuss: Breastfeeding or breastfeeding techniques Action steps to decrease frustration when infant cries	85% 13% 02% 83% 43%	88% 11% 01% 83% 48%