

(for uses defined under 641-41.2 (31), and (33)) [IAC 641-41.2 (67), (68), & (75)]

quested Authorization(s) (check all that	apply)		
41.2(31) Uptake, dilution, and excretion	n studies 4 41.2(33) Imagino	g and localization	studies
	ART I TRAINING AND EXPERIENCE		
Fraining and Experience, including board application or the individual must have o	elect one of the three methods below) d certification, must have been obtained wit btained related continuing education and exercise dates, duration, and description of continu	cperience since th	ne required training
1. Board Certification			
a. Provide a copy of the board certification	ation.		
 b. For a board certification issued on of following: 	or before October 24, 2005 that is listed in 4	1.2(75)"b"(2)"1",	provide the
(i) Documentation that the individual	dual performed each use checked above or	or before Octob	er 24, 2005.
each use checked above.	ion of continuing education and experience	within the past se	even years for
c. Stop here.			
2. Current 41.2(69) Authorized User	r Seeking Additional 41.2(68) Authorization		
a. Authorized user on Materials Licen			2(37)
	ate requirements seeking authorization for 4	1.2(68).	
b. Supervised Work Experience. (If more than one supervising indiv	vidual is necessary to document supervised	work experience	, provide multiple
copies of this section.)			
	Location of Experience/	Clock	Dates of
Description of Experience	License Number of Facility	Hours	Experience*
Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled radioactive drugs			Experience*
Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled			Experience*
Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled	License Number of Facility	Hours	as an

IDPH AUD Revision 7/1/2020 PAGE 1



(for uses defined under 641-41.2 (31), and (33)) [IAC 641-41.2 (67), (68), & (75)]

LIC HEALTH	[IAC 641-41.2 (67), (68), & (75)]		
3. Training and Experience for Propo	osed Authorized User		
a. Classroom and Laboratory Training			
Description of Training	Location of Training	Clock Hours	Dates of Training*
Radiation physics and instrumentation			
Radiation protection			
Mathematics pertaining to the use and measurement of radioactivity			
Chemistry of byproduct material for medical use			
Radiation biology			
	Total Hours of Training:		
b. Supervised Work Experience. (If more than one supervising individe provide multiple copies of this section	dual is necessary to document supervised wo	ork experience,	
Supervised Work Experience	Total Hours of Experience:		
Description of Experience Must Include:	Location of Experience/ License Number of Facility	Confirm	Dates of Experience
Ordering, receiving, and unpacking radioactive materials safely and performing the related radiation surveys		Yes No	
Performing quality control procedures on instruments used to determine the activity of dosages and performing checks for proper operation of survey meters		Yes No	



(for uses defined under 641-41.2 (31), and (33)) [IAC 641-41.2 (67), (68), & (75)]

3. Training and Experience for Proposed Authorized User (continued)

b. Supervised Work Experience. (continued)

Description of Experience Must Include:	Location of Experience/ License Number of Facility	Confirm	Dates of Experience*
Calculating, measuring, and safely preparing patient or human research subject dosages		☐ Yes	
Using administrative controls to prevent a medical event involving the use of unsealed byproduct material		☐ Yes	
Using procedures to contain spilled byproduct material safely and using proper decontamination procedures		☐ Yes	
Administering dosages of radioactive drugs to patients or human research subjects		Yes No	
Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled radioactive drugs		☐ Yes ☐ No*	
Supervising Individual	License Number listing supervising individual as an author user or an authorized nuclear pharmacist for generator tra		
Supervisor meets the requirements belo 41.2(67) 41.2(68) 41.2(69) 41.2(78) 41.2(75) for 41.2(33) *Not required for 41.2(31) use.	41.2(69) + generator experience in 41.2(69)	8)"c"(1)"2"	

c. Complete Part II Preceptor Attestation.

IDPH AUD Revision 7/1/2020 PAGE 3



(for uses defined under 641-41.2 (31), and (33)) [IAC 641-41.2 (67), (68), & (75)]

PART II - PRECEPTOR ATTESTATION

Note: This part must be completed by the individual's preceptor. The preceptor does not have to be the supervising individual as long as the preceptor provides, directs, or verifies training and experience required. If more than one preceptor is necessary to document experience, obtain a separate preceptor statement from each.

By checking the boxes below, the preceptor is not attesting to the individual's "general clinical competency." First Section Check one of the following for each use requested: For 41.2(67) has satisfactorily completed the 60 hours of training and I attest that Name of Proposed Authorized User experience, including a minimum of 8 hours of classroom and laboratory training, required by 41.2(67)"c"(1), and is able to independently fulfill the radiation safety-related duties as an authorized user for the medical uses authorized under 41.2(31). For 41.2(68) has satisfactorily completed the 700 hours of training I attest that Name of Proposed Authorized User and experience, including a minimum of 80 hours of classroom and laboratory training, required by 41.2(68)"c"(1), and is able to independently fulfill the radiation safety-related duties as an authorized user for the medical uses under 41.2 (31) and (33). Second Section Complete one of the following for attestation and signature: **Authorized User:** I meet the requirements below, or equivalent Agreement State requirements, as an authorized user for: 41.2(67) 41.2(68) 41.2(69) 41.2(69) + generator experience 41.2(75) for 41.2(33) uses OR Residency Program Director: I affirm that the attestation represents the consensus of the residency program faculty where at least one faculty member is an authorized user who meets the requirements below for: 41.2(67) 41.2(68) 41.2(69) 41.2(69) + generator experience 41.2(75) for 41.2(33) uses I affirm that this facility member concurs with the attestation I am providing as program director. I affirm that the residency training program is approved by the: Residency Review Committee of the Accreditation Council for Graduate Medical Education Royal College of Physicians and Surgeons of Canada Council on Post-Graduate Training of the American Osteopathic Association I affirm that the residency training program includes training and experience specified in: 41.2(67) 41.2(68) Name of Facility: License Number: Telephone Number Name of Preceptor or Residency Program Director (Typed or Printed) Date Signature

IDPH AUD Revision 7/1/2020 PAGE 4